

FORM PTO-1449 (Modified)

JULI LING 113 d APP 1996

OF PATENTS AND PUBLICATIONS FOR LICANT'S INFORMATION DISCLOSURE STATEMENT ATTY. DOCKET NO. 6362-9380US

SERIAL NO. 07/938,154

APPLICANT: HARPOLD et al.

GROUP 1812

FILING DATE April 3, 1991

U.S. PATENT DOCUMENTS

						<u> </u>	<u> </u>	<u> </u>	IVI DOGG	MILITIO		· .	
EXAMINER INITIAL			D	OCUM	ENT N	NUMBI	ER		DATE	NAME	CLASS	SUB CLASS	FILING DATE
98m	Α	4	8	3	7_	1	4	8	6/6/89	Cregg	435	172	10/30/84
1	В	4	8	5	5	2	3	1_	8/8/89	Stroman et al.	435	68	9/25/85
	С	4	8	5	9	6	0	9	8/22/89	Dull et al.	436	501	11/30/88
	D	4	8	8	2	2	7	9	11/21/89	Cregg	435	. 68	10/25/85
	Е	4	9	2	9	5	5	5	5/29/90	Cregg et al.	435	172	10/19/87
	F	4	9	8	1	7	8	4	1/1/91	Evans et al.	435	6	11/16/89
	G	5	0	2	4	9	3	9	6/18/91	Gorman	435	69	9/25/87
	Н	5	0 .	7	1	7	7	3	12/10/91	Evans <i>et al.</i>	436	501	10/20/87
	1	5	0	9	1	5	1	8	225/192	Sucov et al.	536	27	4/30/86
	J	5	3	6	9	0	2	8	11/29/94	Harpold <i>et al</i> .	435	252	4/3/90
	к	5	3	8	6	0	2	5	01/31/95	Jay <i>et al</i> .	536	24	02/90
	L	5	4	0	1	6	2	9	3/28/95	Harpold <i>et al</i> .	435	6	8/7/90
\overline{V}	м	5	4	3	6	1	2	8	7/25/95	Harpold <i>et al</i> .	435	6	1/27/93
_													

FOREIGN PATENT DOCUMENTS

						OKE		IFA	I EN I DO	COMENTS				
			D	OCUM	ENT N	NUMBI	ER		DATE	COUNTRY	CLASS	SUB	Trans	slation
												CLASS	YES	NO
17	N	0	3	2	5	8	4	9	8/89	EPO				
	0	8	8	0	3	1	6	8	5/88	PCT		<u></u>		
	Р	8	9	0	9	8	3	4	10/19/89	PCT				
	Q	9	0	1	0	6	4	8	9/20/90	PCT				
	R	9	1	0	6	6	7	7	5/91	PCT	-			
	s	9	1	1	5	6	0	2	10/17/91	PCT				
	Т	9	2	0	2	6	3	9	02/20/92	PCT				
	/ U	9	5	1	3	2	9	9	5/18/95	PCT				

EXAMINER

John a Mr

DATE CONSIDERED 13-96

FORM PTO-1449 (Modified)		ATTY. DOCKET NO. 6362-9380US	SERIAL NO. 07/938,154			
		TS AND PUBLICATIONS FOR NFORMATION DISCLOSURE	APPLICANT: HARPOLD et al.			
ALLEC		STATEMENT	FILING DATE April 3, 1991	GROUP 1812		
	C	OTHER ART (Including Author	r, Title, Date, Pertinent P	ages, Etc.)		
172	٧	Akong et al., Characterization of n cell line, FASEB J., 4(3):A737 (19	nicotinic acetylcholine receptors in a human neuroblastoma			
	W	Alam <i>et al.</i> ,Reporter genes: Appli <i>Biochem. 188</i> :245-254 (1990)	Alam et al., Reporter genes: Application to the study of mammalian gene transcription, A			
	х	Allard, et al., Sequence of the gen receptor, <i>Nucl. Acids Res.</i> 15:106		uscarinic acetylcholine		
	Υ	Alton and Vapnek, Nucleotide seq transposon Tn9, <i>Nature 282</i> :864-		nphenicol resistance		
	Z		Anand et al., Nucleotide sequence of the human nicotinic acetylcholine receptor β_2 subunit gene, <i>Nucleic Acids Res.</i> 18(14):4272 (1990)			
	AA	Anand et al., Neuronal nicotinic acetylcholine receptors expressed in Xenopus oocytes have a pentameric quaternary structure, J. Biol. Chem. 266(17):11192-11198 (1991)				
	АВ	Baldwin et al., Cloning of the luciferase structural genes from Vibrio harveyi and expression of bioluminescence in Escherichia coli, Biochemistry 23:3663-3667 (1984)				
	AC	Ballivet et al., Electrophysiology of a chick neuronal nicotinic acetylcholine receptor expressed in Xenopus oocytes after cDNA injection, Neuron 1:847-852 (1988)				
·	AD	Beeson <i>et al.</i> , The human muscle nicotinic acetylcholine receptor α-subunit exists as two isoforms: a novel exon, <i>EMBO J. 9(7):</i> 2101-2106 (1990)				
	AE	BIOSIS abstract #87125524, Bart activate distinct programs of early induction, <i>Genes Dev. 3(3)</i> :304-3	response gene expression di	nembrane depolarization issociation of fos and jun		
	AF	BIOSIS abstract # 88119253, Lev regulator of interferon-alpha-stimu 3(9):1362-1371 (1989)	y et al., Cytoplasmic activational lated transcription reconstitute	n of ISGF3 the positive ed in vitro, Genes Dev.		
	AG	BIOSIS abstract # 88127139, Nisl transduction, J. Am. Med. Assoc.		otein kinase C for signal		
	АН	Blackshear <i>et al.,</i> Protein kinase (induction in human astrocytoma c	C-dependent and -independer ells, <i>J. Biol. Chem.</i> 262(16):7:	nt pathways of proto-oncogene 774-7781 (1987)		
	Al	Blanchard et al.,The regulatory sta		oto-oncogenes share some		
	AJ	Bonner et al., Cloning and expres receptor genes, Neuron 1:403-410		6 muscarinic acetylcholine		
				<u> </u>		
EXAMINER	۱ د له لر	a u'	DATE CONSIDERED	6		

FORM PTO	-1449 (N	Nodified)	ATTY. DOCKET NO. 6362-9380US	SERIAL NO. 07/938,154		
		TS AND PUBLICATIONS FOR NFORMATION DISCLOSURE	APPLICANT: HARPOLD et al.			
STATEMENT			FILING DATE April 3, 1991	GROUP 1812		
C	THER	ART (Including Author, Title,	Date, Pertinent Pages,	Etc.) - Continued		
lo	AK	Bonnieu et al., Requirements for cells, Oncogene 4:881-888 (1989)		n growth stimulated murine		
)	AL	Bouche, Basic fibroblast growth faribosomal genes in ABAE cells un 84:6770-6774 (1987)	actor enters the nucleolus and dergoing G ₀ -G ₁ transition, <i>Pro</i>	stimulates the transcription of oc. Natl. Acad. Sci. USA		
	AM	Boulter <i>et al.</i> , Isolation of a cDNA receptor α-subunit, <i>Nature 319:</i> 36		eural nicotinic acetylcholine		
	AN	Boulter <i>et al.</i> , Functional expression cDNA clones identifies a gene fan	on of two neuronal nicotinic ac nily, <i>Proc. Natl. Acad. Sci. U</i> S	cetylcholine receptors from A 84:7763-7767 (1987)		
	AO	Boulter et al., α 3, α 5, and β 4: Three members of the rat neuronal nicotinic acetylcholine receptor-related gene family form a gene cluster, J. Biol. Chem. 265:4472-4482 (1990)				
	AP	Boulter et al., Rat nicotinic acetylcholine receptor alpha 6 mRNA sequence, unpublished (1993) GENBANK Accession #L08227				
	AQ	Bunzow et al., Cloning and expression of a rat D ₂ dopamine receptor cDNA, <i>Nature 336</i> :783-787 (1988)				
	AR	Changelian <i>et al.</i> , Structure of the NGFI-A gene and detection of upstream sequences responsible for its transcriptional induction by nerve growth factor, <i>Proc. Natl. Acad. Sci. USA</i> 86:377-381 (1989)				
	AS	Chavez-Noriega et al., Characterization of recombinant human neuronal nicotinic ACH receptors expressed in HEK293 cells and Xenopus oocytes, Soc. Neurosci. Abstr. (1995)				
	АТ	Claudio et al., Genetic reconstituti fibroblasts, Science 238:1688-169		receptor channels in mouse		
	AU	Clementi et al., Pharmacological on neuroblastoma cell line, <i>J. Neuro</i>		receptors in a human		
	AV	Cleveland <i>et al.</i> , Number and evo cytoplasmic β- and γ-actin genes	lutionary conservation of the cusing specific cloned cDNA p	x- and β-tubulin and robes, <i>Cell 20</i> :95-105 (1980).		
	AW	Collins et al., cAMP stimulates tra short-term agonist exposure, Proc	nscription of the β₂-adrenergion. Natl. Acad. Sci. USA 86:485	c receptor gene in response to 53-4857 (1989)		
	AX	Comb <i>et al.</i> , A cyclic AMP-and pt (1986)	norbol ester-inducible DNA ele	ement, <i>Nature 323</i> :353-356		
	AY Conti-Tronconi et al., Brain and muscle nicotinic acetylcholine receptors are different the homologous proteins, <i>Proc. Natl. Acad. Sci. USA</i> 82:5208-5212 (1985)					
EXAMINER		L_RCIL	DATE CONSIDERED			

	_			011000 1 01 12		
FORM PTO-1449 (Modified)			ATTY. DOCKET NO. 6362-9380US	SERIAL NO. 07/938,154		
		TS AND PUBLICATIONS FOR NFORMATION DISCLOSURE	APPLICANT: HARPOLD et al.			
STATEMENT			FILING DATE April 3, 1991	GROUP 1812		
(OTHER	R ART (Including Author, Title,	Date, Pertinent Pages,	Etc.) - Continued		
gue	AZ	Cotecchia et al., Multiple second rexpressed in eukaryotic cells, J. E				
	ВА		Couturier et al., A neuronal nicotinic acetylcholine receptor subunit (α 7) is developmental regulated and forms a homo-oligomeric channel blocked by α -BTX, Neuron 5:847-856 (1			
	ВВ	Curran <i>et al.,</i> Barium modulates c <i>Natl. Acad. Sci. USA 83</i> :8521-852		slational modification, <i>Proc.</i>		
	ВС	Curran <i>et al.,</i> FBJ murine osteosa biologically active proviral DNA, <i>J.</i>				
	BD	Dascal, The use of Xenopus oocytes for the study of ion channels, CRC Crit. Rev. Biochem. 22(4):317-387 (1987)				
	BE	Deneris et al., Primary structure and expression of β2: A novel subunit of neuronal nicotinic acetylcholine receptors, <i>Neuron 1</i> :45-54 (1988)				
	BF	Deneris et al., Pharmacological and functional diversity of neuronal nicotinic acetylcholine receptors, <i>Trends Pharmacol. Sci. 12</i> :34-40 (1991)				
	BG	Deneris et al., β_3 : A new member of nicotinic acetylcholine receptor gene family is expressed in brain, J. Biol. Chem. 264(11):6268-6272 (1989)				
	вн	Denhardt, A membrane-filter technique for the detection of complementary DNA, <i>Biochem. Biophys. Res. Commun.</i> 23:641-646 (1966).				
	ВІ	Deschamps et al., Identification of a transcriptional enhancer element upstream from the proto-oncogen fos, Science 230:1174-1177 (1985)				
	ВЈ	Devreotes, <i>Dictyostelium discoide</i> development, <i>Science 245</i> :1054-1		cell interactions in		
	вк	deWet et al., Firefly luciferase gel Biol. 7:725-737 (1987)	ne: Structure and expression	in mammalian cells, <i>Mol. Cell</i> .		
	BL	Dixon <i>et al.</i> , Cloning of the gene and cDNA for mammalian β-adrenergic receptor and homology with rhodopsin, <i>Nature 321</i> :75-79 (1986)				
	вм	Doolittle, Of URFS and ORFS. A Primer on How to Analyze Derived Amino Acid Sequences, selected pages, University Science Books, Mill Valley, CA (1986)				
	BN	Duvoisin <i>et al.</i> , The functional diversity of the neuronal nicotinic acetylcholine receptors is increased by a novel subunit: β4, <i>Neuron 3</i> :487-496 (1989)				
				·		
-						
EXAMINER	20	Dh - 12 UI-	DATE CONSIDERED	-17-46		

FORM PTO-1449 (Modified)		ATTY. DOCKET NO. 6362-9380US	SERIAL NO. 07/938,154		
		ITS AND PUBLICATIONS FOR NFORMATION DISCLOSURE	APPLICANT: HARPOLD <i>et al.</i>		
STATEMENT			FILING DATE April 3, 1991	GROUP 1812	
<u> </u>	OTHER	R ART (Including Author, Title	, Date, Pertinent Pages,	Etc.) - Continued	
gan	ВО	Elliott <i>et al.</i> , Cloning and functional receptor subunits α2, α3, α4, α7,			
) .	ВР	Ellis et al., Replacement of insulin insulin-stimulated kinase activity a			
\neg	BQ	Ellis et al., Sequence and express sensitive calcium channel, Science		α_1 and α_2 subunits of a DHP-	
	BR	EMBASE abstract # 87032747, G normal and neoplastic hemopoies			
V	BS	EMBASE abstract # 90361366, R proteins, is controlled by extracell			
	ВТ	EMBASE abstract #90191445, Kc Cancer Cells 1(3):71-76 (1989)	ouzarides-et-al.,-Behind the fo	s and jun leucine zipper.	
92	BU	Engebrecht and Silverman, Identii bioluminescence, Proc. Natl. Acad			
	BV	Fanger et al., Differential expression of sodium channels and nicotinic acetylcholine receptor channels in nnr variants of the PC12 pheochromocytoma cell line, J. Membrane Biol. 144:71-80 (1995)			
	BW	Fink et al., The CGTCA sequence intestinal peptide gene cAMP-region (1988)			
	вх	Firtel et al., G protein linked signa an experimental system, Cell 58:2		velopment: Dictyostelium as	
	BY	Fornasari <i>et al.</i> , Molecular cloning <i>Lttrs. 111</i> :351-356 (1990)	of human neuronal nicotinic	receptor α ₃ -subunit, <i>Neurosci</i> .	
	BZ	Frielle <i>et al.</i> , Cloning of the cDNA <i>USA 84</i> :7920-7924 (1987)	for the human β₁-adrenergic	receptor, <i>Proc. Natl. Acad. Sci.</i>	
	CA	Gautam <i>et al.</i> , A G protein gamma <i>244</i> :971-974 (1989)	a subunit shares homology w	ith <i>ras</i> proteins, <i>Science</i>	
	СВ	Gilman, G proteins: Transducers (of receptor-generated signals	, Ann. Rev. Biochem. 56:615-	
V	СС	Goldman et al. Members of a nico			
	1	•			

				Silect o of 12		
FORM PTC)-1449 (I	Modified)	ATTY. DOCKET NO. 6362-9380US	SERIAL NO. 07/938,154		
		TS AND PUBLICATIONS FOR NFORMATION DISCLOSURE	APPLICANT: HARPOLD <i>et al.</i>			
ATTEIO		STATEMENT	FILING DATE April 3, 1991	GROUP 1812		
(OTHER	R ART (Including Author, Title,	Date, Pertinent Pages,	Etc.) - Continued		
03-	CD	Gorman <i>et al.,</i> Recombinant geno mammalian cells, <i>Mol. Cell. Biol.</i> 2	mes which express chloramp 2(9):1044-1051 (1982)	henicol acetyltransferase in		
	CE	Gotti et al., Acetylcholine operated neuroblastoma cell line reside on (137(3):1141-1147 (1986)				
	CF	Goyal, Muscarinic receptor subtyp	es, N. Engl. J. Med. 321(15):	1022-1029 (1989)		
	G	Greenberg et al., Stimulation of ne transcription, Science 234:80-83 (s induces rapid gene		
	СН		Halvorsen <i>et al.</i> , Affinity labeling of neuronal acetylcholine receptor subunits with an α- neurotoxin that blocks receptor function, <i>J. Neurosci. 7(8)</i> :2547-2555 (1987)			
	CI	Hamill et al., Improved patch-clamp techniques for high resolution current recording from cells and cell-free membrane patches, <i>Pflugers Arch.</i> 391:85-100 (1981)				
	င	Herschman, Extracellular signals, transcriptional responses and cellular specificity, <i>Trends Biochem. Sci.</i> 14:455-458 (1989).				
	СК	Hollman et al., Cloning by functional expression of a member of the glutamate receptor family, Nature 342:643-648 (1989)				
	CL	Horwitz et al., Muscarinic receptor stimulation increases inositol-phospholipid metabolism and inhibits cyclic AMP accumulation in PC12 cells, <i>J. Neurochem.</i> 53:197-204 (1989)				
	СМ	Ishikawa <i>et al.</i> , Acetylcholine rece detected by snake neurotoxins, <i>Bi</i>	•	le: A species difference		
	CN	Jay et al., Primary structure of the skeletal muscle, Science 248:490-	•	e calcium channel from		
	СО	Johnson et al., Expression and str	ucture of the human NGF rec	eptor, Cell 47:545-554 (1986)		
	СР	Julius et al., Molecular characteriz receptor, Science 241:558-564 (19		coding the serotonin 1c		
	Q	Julius et al., The 5HT2 receptor de conserved serotonin receptors, Pr	efines a family of structurally o oc. Natl. Acad. Sci. USA 87:9	distinct but functionally 28-932 (1990)		
	CR	Kayano et al., Primary structure of rat brain sodium channel III deduced from the cDNA sequence, FEBS Lttrs. 228:187-194 (1988)				
	cs	Klein et al., A chemoattractant receptor controls development in Dictyostelium discoideum, Science 241:1467-1472 (1988)				
EXAMINER	JoL	- BUI	DATE CONSIDERED			

				Sheet 7 of 12		
FORM PTO-1449 (Modified)			ATTY. DOCKET NO. 6362-9380US	SERIAL NO. 07/938,154		
		TS AND PUBLICATIONS FOR NFORMATION DISCLOSURE	APPLICANT: HARPOLD et al.			
STATEMENT			FILING DATE April 3, 1991	GROUP 1812		
	THER	ART (Including Author, Title,	Date, Pertinent Pages,	Etc.) - Continued		
ni	СТ	Kobilka <i>et al.</i> , Cloning, sequencing α ₂ -adrenergic receptor, <i>Science</i> 2		coding for the human platelet		
1	CU	Kobilka <i>et al.</i> , An intronless gene coupled to guanine nucleotide reg				
	CV	Kurosaki et al., Functional propert various combinations, FEBS Lttrs.		eceptor subunits expressed in		
	cw	Lamb <i>et al.,</i> Demonstration in livin the rodent c-fos gene, Cell, 61:48		ve regulatory element within		
	СХ		ambert et al., Muscarinic receptor binding characteristics of a human neuroblastoma SK-N-SH and its clones SH-SY5Y and SH-EP1, Eur. J. Pharmacol. 165:71-77 (1988)			
	CY	arsson et al., In vitro binding of ³ H-acetylcholine to nicotinic receptors in rodent and human brain, J. Neural Transm. 69:3-18 (1987)				
	CZ	Lathe, Synthetic oligonucleotide probes deduced from amino acid sequence data theoretical and practical considerations, <i>J. Mol. Biol. 183</i> :1-12 (1984)				
	DA	Levitan <i>et al.</i> , Structural and functional basis for GABA _A receptor heterogeneity, <i>Nature</i> 335:76-79 (1988)				
	DB	Lloyd et al., SIB-1765F, a novel nicotinic agonist: Profile in models of extrapyramidal motor dysfunction, Soc. Neurosci. Abstr. (1995)				
	DC		Luetje et al., Both α - and β -subunits contribute to the agonist sensitivity of neuronal nicotinic acetylcholine receptors, <i>J. Neurosci.</i> 11(3):837-845 (1991)			
	DD	Lukas, Pharmacological distinction the PC12 rat pheochromocytoma <i>Exp. Therap. 251(1)</i> :175-182 (198	and the TE671 human medul			
	DE	Marshall et al., Sequence and fun- acetylcholine receptor, EMBO J. S	ctional expression of a single	α subunit of an insect nicotinic		
	DF	Marullo et al., Expression of huma ligand screening, Bio/Technology		otors in <i>E. coli</i> as a new tool for		
	DG	Mauron et al., Structure of chicker subunits and their variants, Soc. N	n genes encoding the nicotinion	c acetylcholine receptor		
	DH	McAllister et al., Establishment of a human medulloblastoma cell line, Int. J. Cancer 20:206-212 (1977)				
	·					
EXAMINER	Joh	~ P. CII~	DATE CONSIDERED	' ζ		

•				Sheet 8 of 12		
FORM PTO	-1449 (1	Modified)	ATTY. DOCKET NO. 6362-9380US	SERIAL NO. 07/938,154		
LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE			APPLICANT: HARPOLD <i>et al.</i>			
711 7 210		STATEMENT	FILING DATE April 3, 1991	GROUP 1812		
	OTHER	R ART (Including Author, Title,	Date, Pertinent Pages,	Etc.) - Continued		
gr	DI	McKinnon, D., Isolation of a cDNA indicates the existence of a gene				
	DJ	Mechti et al., Sequence requirement of the mouse c-fos gene, Mol. Cel				
	DK	Menzaghi <i>et al.,</i> SIB-1765F: A novrats, <i>Soc. Neurosci. Abstr.</i> (1995)	Menzaghi et al., SIB-1765F: A novel nicotinic agonist with locomotor stimulant properties in			
	DL	Michel et al., PC12 phaeochromosite, Br. J. Pharmacol. 97:914-920		cal muscarinic receptor binding		
	DM		Montminy et al., Identification of a cyclic-AMP-responsive element within the rat somatostati gene, <i>Proc. Natl. Acad. Sci. USA 83</i> :6682-6686 (1986)			
	DN	Morgan et al., Stimulus-transcription coupling in neurons: Role of cellular immediate-early genes, <i>Trends Neurosci</i> , 12(11):459-462 (1989)				
	DO	Nash et al., Molecular cloning of human neuronal nicotinic acetylcholine receptor subunits, Neurobiol. Neurochem. 4(7):A2153 (1990)				
	DP	Nash et al., Molecular cloning and expression of human neuronal nicotinic acetylcholine receptor subunits, Soc. Neurosci. Abstr. 16:10 (1990)				
	DQ	Nef et al., Genes expressed in the brain define three distinct neuronal nicotinic acetylcholine receptors, EMBO J. 7(3):595-601 (1988)				
	DR	Nielsen <i>et al.,</i> A highly sensitive, r transfected cells, <i>Anal. Biochem.</i>		col acetyltransferase activity in		
	DS	Noda <i>et al.,</i> Expression of function 828 (1986)	nal sodium channels from clor	ned cDNA, Nature 322:826-		
	DT	Noda <i>et al.,</i> Existence of distinct s <i>320</i> :188-192 (1986)	odium channel messenger Ri	NAs in rat brain, <i>Nature</i>		
	DU	Nordeen, Luciferase reporter gen BioTechniques 6(5):454-456 (198	•	noters and enhancers,		
	DV	Papke et al., The role of the β_4 —subunit in determining the kinetic properties of rat neuronal nicotinic acetylcholine α_3 —receptors, <i>J. Physiol.</i> 440:95-112 (1991)				
	DW	Patrick et al., Acetylcholine receptor metabolism in a nonfusing muscle cell line, J. Biol. Chem. 252(6):2143-2153 (1977)				
DX Peralta et al., Distinct primary structures, ligand-binding properties and tiss expression of four human muscarinic acetylcholine receptors, EMBO J. 6(1987)				ties and tissue-specific EMBO J. 6(13):3923-3929		
EXAMINER	00 < 0	a vin	DATE CONSIDERED			

				Sheet 9 of 1		
FORM PTO	-1449 (i	Modified)	ATTY. DOCKET NO. 6362-9380US	SERIAL NO. 07/938,154		
		TS AND PUBLICATIONS FOR NFORMATION DISCLOSURE	APPLICANT: HARPOLD et al.			
Al l'Elo.	AIT O	STATEMENT	FILING DATE April 3, 1991	GROUP 1812		
(THEF	R ART (Including Author, Title,	, Date, Pertinent Pages,	Etc.) - Continued		
7	DY	Peralta et al., Differential regulation receptor subtypes, Nature, 334:43		yl cyclase by mascarinic		
1	DZ		Pritchett <i>et al.</i> , Importance of a novel GABA _A receptor subunit for benzodiazepine pharmacology, Nature, 338:582-585 (1989)			
	EA	Quik <i>et al.</i> , Neuronal nicotinic α-b (1988)	ungarotoxin sites, Can. J. Phy	ysiol. Pharmacol. 66:971-979		
	EB	Rao <i>et al., In vitro</i> characterizatior <i>Abstr.</i> (1995)	n of SIB-1765F, a novel nicoti	nic agonist, <i>Soc. Neurosci.</i>		
	EC	Receptor Genetics, Inc. (file of co	rrespondence with SIBIA)			
	ED	Revah <i>et al.</i> , Mutations in the channel domain alter desensitization of a neuronal nicotinic receptor, <i>Nature</i> 353:846-849 (1991)				
	EE	Riabowol et al., The catalytic subunit of cAMP-dependent protein kinase induces expression of genes contraining cAMP-responsive enhancer elements, <i>Nature 336</i> :83-86 (1988)				
	EF	Ruth <i>et al.</i> , Primary structure of the β subunit of the DHP-sensitive calcium channel from skeletal muscle, Science, 245:1115-1118 (1989)				
	EG	Sacaan et al., Effect of (±)-epibatidine on the release of catecholamines: Biochemical and behavioral evidence in rats, Soc. Neurosci. Abstr. (1995)				
	EH	Sambrook et al., Molecular Cloning. A Laboratory Manual, 2d Ed., Cold Spring Harbor Laboratory Press (1989)				
7	EI	Sassone-Corsi <i>et al.</i> , Induction of cyclase pathway: characterization (1988)	proto-oncogene fos transcrip n of a cAMP-responsive elem	tion through the adenylate ent, <i>Genes Dev. 2</i> :1529-1538		
	EJ	Schoepfer <i>et al.</i> , The human med acetylcholine receptor, <i>FEBS Lttrs</i>		expresses a muscle-like		
	EK		Schoepfer et al., cDNA clones coding for the structural subunit of a chicken brain nicotinic acetylcholine receptor, <i>Neuron</i> 1:241-248 (1988)			
	EL		Schoepfer <i>et al.</i> , Brain α-bungarotoxin binding protein cDNAs and MAbs reveal subtypes of this branch of the ligand-gated ion channel gene superfamily, <i>Neuron</i> 5:35-48 (1990)			
	EM	Schoepfer et al., Molecular Biology of Neuroreceptors and Ion Channels Maelicke, A. (Ed.), NATO-ASI Series, Springer Vergal, Heidelberg (1989)				
	EN	Schofield et al., Sequence and functional expression of the GABA _A receptor shows a ligand- gated receptor super-family, <i>Nature 328</i> :221-227 (1987)				
EXAMINER	To	La R CII	DATE CONSIDERED	-11-46		

				Officer 10 of 12		
FORM PTO-1449 (Modified)			ATTY. DOCKET NO. 6362-9380US	SERIAL NO. 07/938,154		
		ITS AND PUBLICATIONS FOR NFORMATION DISCLOSURE	APPLICANT: HARPOLD et al.			
AFFLI	CANT ST	STATEMENT	FILING DATE April 3, 1991	GROUP 1812		
-	OTHER	R ART (Including Author, Title,	, Date, Pertinent Pages,	Etc.) - Continued		
gr	ΕO	Serra et al., The intact human neu [³H]pirenzepine binding associated 50:1513-1521 (1988)				
1	EP		Serra <i>et al.</i> , Phorbol esters alter muscarinic receptor binding and inhibit polyphosphoinosition breakdown in human neuroblastoma (SH-SY5Y) cells, <i>Biochem. Biophys. Res. Comm.</i> 140:160-166 (1988)			
	EQ	Sheng <i>et al.,</i> The regulation and for nervous system, <i>Neuron 4</i> :477-48		nediate early genes in the		
	ER	Shivers, B.D., Two novel GABA _A r Neuron 3:327-337 (1989)	Shivers, B.D., Two novel GABA _A receptor subunits exist in distinct neuronal subpopulations,			
	ES	Short et al., Characterization of the phosphoenolpyruvate carboxykinase (GTP) promoter-regulatory region, <i>J. Biol. Chem. 261</i> :9721-9726 (1986)				
	ET	Stauderman <i>et al.</i> , Chacterization of recombinant human neuronal nicotinic acetylcholine receptor subtypes α4β4 and α2β4 stably expressed in HEK293 cells, <i>Soc. Neurosci. Abstr.</i> (1995)				
	EU	Stillman et al., Replication and supercoiling of simian virus 40 DNA in cell extracts from human cells, Mol. Cell.Biol. 5:2051-2060 (1985)				
	EV	Stormann et al., Molecular cloning and expression of a dopamine D2 receptor from human retina, Molec. Pharm. 37:1-6 (1990)				
	EW	Strader <i>et al.,</i> Structural basis of β (1989)	Strader <i>et al.</i> , Structural basis of β-adrenergic receptor function, <i>FASEB J. 3</i> :1825-1832 (1989)			
	EX		Stroud et al., Nicotinic acetylcholine receptor superfamily of ligand-gated ion channels, Biochemistry 29(50):11009-11023 (1990)			
	EY	Stumpo et al., Identification of c-fo esters, J. Biol. Chem. 263(4):1611		ction by insulin and phorbol		
	EZ		Subramani <i>et al.</i> , Expression of the mouse dihydrofolate reductase complementary deoxyribonucleic acid in simian virus 40 vectors, <i>Mol. Cell Biol.</i> 1:854-864 (1981)			
	FA	Sugaya et al., Nicotinic acetylchol Alzheimer's disease, <i>J. Neurosci</i> .		an frontal cortex: Changes in		
	FB	Tanabe et al., Primary structure of the receptor for calcium channel blockers from skeletal muscle, <i>Nature 328</i> :313-318 (1987)				
	FC	Tempel <i>et al.</i> , Cloning of a probab 332:837-839 (1988)	Tempel et al., Cloning of a probable potassium channel gene from mouse brain, Nature			
<i>V</i>						
EXAMINE	R Obl	n P Ul	DATE CONSIDERED 8-1)-46			

		•		Sneet 11 of 1.		
FORM PTC)-1449 (I	Modified)	ATTY. DOCKET NO. 6362-9380US	SERIAL NO. 07/938,154		
		TS AND PUBLICATIONS FOR NFORMATION DISCLOSURE	APPLICANT: HARPOLD <i>et al.</i>			
		STATEMENT	FILING DATE April 3, 1991	GROUP 1812		
(OTHER	RART (Including Author, Title,	Date, Pertinent Pages,	Etc.) - Continued		
9-	FD	Toh et al., Isolation and characteri Biochem. 182:231-238 (1989)	ization of a rat liver alkaline pl	nosphatase gene, Eur. J.		
1	FE	Urlaub <i>et al.</i> , Effect of gamma rays inversions, <i>Somatic Cell. Molec.</i> G		se locus: Deletions and		
	FF	Verma et al., Proto-oncogene fos:	Complex but versatile regula	ation, Cell 51:513-514 (1987)		
	FG	Vernallis <i>et al.</i> , ACHR gene produ receptor subtypes, <i>Soc. Neurosci.</i>		anscripts, subunits, and		
	FH	Visvader <i>et al.</i> , Two adjacent pron c-fos gene and bind distinct nuclea (1988)				
	FI	Wada et al., Functional expression of a new pharmacological subtype of brain nicotinic acetylcholine receptor, <i>Science 240</i> :330-334 (1988)				
	FJ	Wada et al., Distribution of Alpha2, Alpha3, Alpha4, and Beta2 neuronal nicotinic receptor subunit mRNAs in the central nervous system: A hybridization histochemical study in the rat, <i>J. Comp. Neurol.</i> 284:314-335 (1989)				
	FK	Whiting et al., Structurally different neuronal nicotinic acetylcholine receptor subtypes purified and characterized using monoclonal antibodies, <i>J. Neurosci.</i> 7(12):4005-4016 (1987)				
	FL		Whiting et al., Purification and characterization of a nicotinic acetylcholine receptor from rat brain, Proc. Natl. Acad. Sci. USA 84:595-599 (1987)			
	FM	Whiting <i>et al</i> ., Affinity labelling of n binding sites to their β-subunits, F				
	FN	Whiting <i>et al.</i> , Neuronal nicotinic a clone α ₄ , <i>FEBS Lttrs. 213(1)</i> :459-4		it is coded for by the cDNA		
	FO	Whiting et al., Expression of nicoti Brain Res. 10:61-70 (1991)	nic acetylcholine receptor sub	otypes in brain and retina, <i>Mol.</i>		
	FP	Whiting <i>et al.</i> , Structural and pharmacetylcholine receptor subtype sta 40:463-472 (1991)				
	FQ	Wigler et al., DNA-mediated transf mammalian cells, <i>Proc. Natl. Acad</i>				
	FR	Wilson et al., Inhibitory action of ni neuromuscular junction of the rat,				
EXAMINER	1200	in a ch	DATE CONSIDERED	16		



FORM PTO-1449 (Modified)			ATTY. DOCKET NO. 6362-9380US	SERIAL NO. 07/938,154	
LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT			APPLICANT: HARPOLD et al.		
			FILING DATE April 3, 1991	GROUP 1812	
	OTHER	R ART (Including Author, Title,	, Date, Pertinent Pages,	Etc.) - Continued	
2	- FS	Yeh et al., Ultrastructural localization of a platelet-derived growth factor/ v-sis-related protein(s) in cytoplasm and nucleus of simian sarcoma virus-transformed cells, <i>Proc. Natl. Acad. Sci. USA 84</i> :2317-2321 (1987)			
	FT	Ymer <i>et al.,</i> GABA _A receptor β sub <i>EMBO J. 8</i> :1665-1670 (1989)	GABA _A receptor β subunit heterogeneity: functional expression of cloned cDNAs, 1665-1670 (1989)		
	FU	Young et al., Isolation and characterization of a new cellular oncogene encoding a protein with multiple potential transmembrane domains, Cell 45:711-719 (1986)			
	FV	Zipser <i>et al.</i> , Mapping functional domains in the promoter region of the herpes thymidine kinase gene, <i>Proc. Natl. Acad. Sci. USA 78(10)</i> :6276-6280 (1981)			
	-				
·					
10X					
1//6					
		1			
EXAMINER			DATE CONSIDERED		
EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609;					